



# City of Victorville

## Development Department

Planning ♦ Building ♦ Code Enforcement ♦ Business License

14343 Civic Drive  
PO Box 5001  
Victorville, CA 92393-5001  
(760) 955-5100  
Fax (760) 269-0073  
planreview@victorvilleca.gov

### Plan Submittal Requirements

#### REPIT

Submit a Plot Plan with the following information

- Prior to issuance of repit permit, the Engineering Department shall review for sewer availability.
- Show the size and location of the existing septic tank and seepage pit.
- Show the size and location of the proposed seepage pit or pits and any distribution box that may be used.
- Show the dimensions between the proposed seepage pit and any other seepage pit, the septic tank, all property lines, the distribution box, and any structures, trees, or water main lines.
- More than one repit may require a percolation test.

#### ABANDONED SEPTIC SYSTEM TO NEW SEWER CONNECTION

- Engineering Department shall review and approve prior to issuance of permit.
- Complete and submit, to the Building Department, a "Request for Sewer Fees" form from the Engineering Department. (Be sure to accurately indicate all plumbing fixtures in the spaces provided.)
- Provide a plot plan showing the new sewer lateral line and the old septic tank and seepage pit.
- A single inspection will be performed once the new sewer lateral is connected, the old septic tank and seepage pit are pumped and ready for backfill.