

CITY OF VICTORVILLE

FIRE DEPARTMENT STANDARD

SUBJECT: ADDRESS NUMBERING ON BUILDINGS	STANDARD NO. 3 (1)
	DATE: 10-6-89 REVISED: 9-24-08

In accordance with City of Victorville Municipal Code, Chapter 8.05, relating to the identification of new and existing buildings, the following fire prevention standard is hereby adopted.

Approved numbers or addresses shall be provided for all new and existing buildings, in such a position as to be plainly visible and legible from the street or road fronting the property and in certain instances from the rear and/or sides of the buildings. All numbers shall be aligned in a horizontal fashion.

SINGLE FAMILY DWELLINGS

1. Numbers shall be a minimum of 4 inches in height on a contrasting background, easily located and read from the street.
2. Homes set back more than 50 feet from the street shall have 4 inch numbers on a contrasting background placed upon a monument, post, fence, or similar structure, located near the street and at least 3 feet above ground level.
3. Where practical, numbers should also be painted on the curb.

APARTMENT BUILDINGS, HOTELS, MOTELS

1. Single Story Buildings: Numbers shall be a minimum of 12 inches high with a contrasting background. When the building is situated more than one hundred fifty feet from the curb, number shall be minimum 18 inches high.
2. Buildings Two or More Stories High: Numbers shall be a minimum of 12 inches high with contrasting background. When the building is situated more than one hundred fifty feet from the curb, numbers shall be minimum 18 inches high.
3. Individual Apartments: Numbers on the doors shall be a minimum of 4 inches high.
4. When apartment or motel buildings are arranged around a courtyard, the building numbers shall be displayed on both the street (or drive)side and the courtyard side.

